

PRODUCT-DETAILS

# CL-515L

## PILOT LIGHT CL-515L 110-130V d.c.



### General Information

Extended Product Type	CL-515L
Product ID	1SFA619402R5154
EAN	7320500259405
Catalog Description	PILOT LIGHT CL-515L 110-130V d.c.
Long Description	Compact Pilot Light - Pilot light head - Blue - Illuminated - Lamptype: LED 110-130V DC

### Ordering

E-Number (Sweden)	3711386
EAN	7320500259405
Minimum Order Quantity	10 piece
Customs Tariff Number	85369001

### Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.022 kg

### Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.022 kg

## Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -30 ... +85 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Additional Information

Actuator Type	Pilot light head
Color	Blue
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Illumination	Illuminated
Lamp Type	LED 110-130V DC
Product Main Type	CL
Product Name	Pilot Light
Product Range	Compact
Product Type	CL
Rated Current (I <sub>n</sub> )	7 mA
Rated Frequency (f)	Supply Circuit 50 60 Hz
Rated Operational Voltage	110 ... 130 V DC
RoHS Date	0626 5

## Certificates and Declarations (Document Number)

CQC Certificate	CQC2003010305054693
Data Sheet, Technical Information	1SFC151003C0201
Declaration of Conformity - CCC (CCC)	2020980305001187
Declaration of Conformity - CE	1SFA1-70
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151003C0201
RoHS Information	1SFC151012D0202

## Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
Object Classification Code	E
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

